

# ACCESSORY INSTRUCTIONS

Marquee Wheels, Half Wall, Full Wall, Awnings & Banner Instructions

## WHEEL INSTRUCTIONS

### Attaching & Moving



The entire weight of the folding tent is supported by the wheels, it now requires virtually no effort to move the whole unit in any direction over any surface such as bitumen or grassy areas. It is as simple as removing the gazebo cover, unlocking the wheels, opening the unit slightly and it is ready to move.

### WHEEL MARQUEE - ATTACHING WHEELS



1. On a bench or on the ground lay marquee on side, extend inner leg of marquee.



2. Locate 'dimples' on foot plate, position the wheel on foot plate so wing nuts and positioned over the 'dimples'



3. Tighten the wing nuts on the left/right until finger tight. Repeat until all wheels are fitted to marquee legs.

### WHEELED MARQUEE MOVING INSTRUCTIONS



1. Ensure brakes are in the "on" position.



2. Remove standard marquee protective cover, **NEVER** move with cover on.



3. Hold marquee with 2 hands.



4. Set brakes to "off" position.



5. Open frame slightly. Never move fully folded marquee.



6. Grasp one leg and pull marquee in the desired direction. Never push.



7. Apply brakes to "on" position and read "Set Up Instructions".

Add an extra wall to your marquee to protect you and/or your products from the weather, and provide extra privacy. Our walls could not be easier to attach to your Extreme Marquee, they use a simple hook and velcro system to attach to the marquee. The plain walls also feature zips on either side to seamlessly connect the walls together.



### HALF WALL INSTRUCTIONS



Attach half wall display connector to marquee leg. Repeat on other side.



Insert half wall display bar through half wall sleeve.



Tighten half wall display connector. Attach velcro tabs to marquee legs.

### HALF WALL SUPPORT INSTRUCTIONS



1. Attach the half wall support to the display bar.




2. Adjust the height of the support leg until securely in position.




3. Completed Half Wall with Support.


### FULL WALL INSTRUCTIONS



1. Put wall hooks through eyelets in roof flap (face hooks inwards).



2. Attach velcro tabs to marquee legs.



3. Completed Wall.



**VELCRO AWNING INSTRUCTIONS**



1. Attach awning leg connector to marquee frame. Repeat on other side.




2. Attach awning velcro to the velcro on marquee roof.



3. Insert the (three piece) awning pole into the awning sleeve.



4. Fit the awning end poles to the connector and attached fabric. Repeat on other side.



5. Fit the awning centre connector/pole to the truss bar and tighten.



6. Insert the awning poles into the 'holes' in the (three piece) awning pole in sleeve.




7. Twist the awning poles to extend or shorten and then twist poles to tighten.



8. Velcro Awning.


**HOOK & EYE AWNING INSTRUCTIONS**



1. Attach awning leg connector to marquee frame. Repeat on other side.




2. Put wall hooks through eyelets in roof flap.




3. Insert the (three piece) awning pole into the awning sleeve.




4. Fit the awning end poles to the connector and attached fabric. Repeat on other side.



5. Fit the awning centre connector/pole to the truss bar and tighten.



6. Insert the awning poles into the 'holes' in the (three piece) awning pole in sleeve.



7. Twist the awning poles to extend or shorten and then twist poles to tighten.



8. Hook and Eyelet Awning.

The Wave and Flare banners are a popular outdoor banner style from our range. These banners are found outside businesses, at school and club events and at every field day or trade show.



**WAVE & FLARE BANNER INSTRUCTIONS**




1. Assemble the Banner Pole.  
Small - 2 pieces / Medium - 3 pieces / Large - 4 pieces



2. Insert the Banner Pole into the sleeve of the Banner fabric.



3. Applying even pressure pull the Banner Fabric to the base of the Banner Pole.



4. Attach the elastic from the Banner fabric to the Hooks on the Banner Pole.

**WAVE & FLARE BANNER BASE INSTRUCTIONS**



**MARQUEE LEG CONNECTOR**  
Position the Marquee Leg Connector in desired location and tighten until fitted.




**MARQUEE LEG CONNECTOR**  
Insert the Banner Spindle into the Connector, tighten the Connector until firmly fitted.



**ALL BANNER BASES**  
Position the Banner Pole onto the Spindle.

**RAIN GUTTER INSTRUCTIONS**



Position marquees side by side and attach leg connector and tighten.



Put gutter hooks through eyelets in roof flap (face hooks inwards).



Attach rain gutter strip to marquee wall.