




CS SUMMIT

THE CLASSIC RANGE IN PRODUCTION SINCE 2003

3m x 3m | 3m x 4.5m | 3m x 6m








The Summit Classic Range is our flagship marquee range. With over 100,000 frames sold worldwide and 15 years of research and development, the summit offers unparalleled reliability and strength. The Summit features a high-tech 2mm thick 40mm T5 6005 hardened aluminium square leg frame. Connectors are made from high quality extruded aluminium and include steel feet to ensure a strong stable base.

The roof is spring tensioned and is available with either 100% PVC or PVC coated polyester fabric. A patented wheel system and coloured anodised aluminium frames are also available with this range. The Summit range of marquees is suited for any commercial purpose and built to exceed expectations.

Technical Diagrams



Specifications



Main Frame profile
Hexagonal 40mm x 40mm x 2mm



Size	3m x 3m	3m x 4.5m	3m x 6m
Height	3.29m		
Clearance	2m		
Frame Box Dimensions	163 x 28 x 28cm	163 x 39 x 28cm	163 x 52 x 28cm
Frame Weight	26kg	33kg	52kg
Roof Weight	POLY 7kg PVC 11kg	9kg 15kg	12kg 18kg
Main Profile	40mm x 40mm x 2mm		
Truss Bars	32mm x 16mm x 1415mm		
Framework	Aluminium 6005/T5 T6063 Reinforced Aluminium Inner Leg		
Pull Ring System	Yes		
Roof Tension	Spring		
Nuts & Bolts	Stainless Steel		
Connectors	Extruded Aluminium		
Feet	Zinc Coated Steel 100mm x 100mm		
Fabric	Plain 500D PVC Coated Polyester Printed 600D PU Coated Polyester 580GSM PVC UV Printed 900D PU Coated Polyester 350GSM		
Includes	Tie Down Ropes, Steel Pins & Heavy Duty Wheeled Protective Cover		
Frame Warranty	7 Years		
Fabric Warranty	Polyester Plain & Printed 1 Year UV Printed 2 Years PVC Plain 5 Years, PVC Printed & Clear 2 Years		

Gallery

Customer photos



Plain Marquee Fabrics

500D PVC Coated Polyester

Application

Plain Marquees & Accessories

Specifications 100% Polyester with PVC backing Yarn count: 500D x 500D Weight: 280 gsm Colourfastness to light: 5-6 En standard	Features 1 year warranty Fire resistant Waterproof UV resistant	Wind resistant Corners reinforced with PVC Matte finish Colour on front and back of fabric
--	--	---

Standard Colours

Warehouse stocked and ready for dispatch. Roof, Full Walls, Half Walls.

				
White Pantone White	Black Pantone Black 6C	Maroon Pantone 7421C	Red Pantone 207C	Green Pantone 7727C
				
Blue Pantone 7686C	Yellow Pantone 123C	Orange Pantone 715C	Grey Pantone 421C	

Premium Colours

Made to order and sent directly from production facility.

				
Cream Pantone Yellow 0131C	Fossil Pantone Warm Grey 10C	Bay Blue Pantone 2955C	Ocean Blue Pantone 2767C	Hunter Green Pantone 3292C
				
Apple Green Pantone 360C	Candy Pink Pantone 219C	Lollipop Purple Pantone 513C	Cola Red Pantone 186C	

Plain & Printed Marquees

580 GSM PVC

Application

Plain Marquees | Custom Printed Marquees

Specifications 100% PVC Weight: 580 gsm Colourfastness to light: 5-6 En standard	Features 2 year warranty printed 5 year warranty plain Fire resistant Waterproof	UV resistant Wind resistant Hot lacquer Seams heat welded Gloss finish
--	---	--



Standard Colours

Warehouse stocked and ready for dispatch.

				
White Pantone White	Black Pantone Black 6C	Maroon Pantone 505C	Red Pantone 7427C	Blue Pantone 7687C
				
Yellow Pantone 7408C	Orange Pantone 1375C	Green Pantone 7727C	Grey Granite Pantone 4276C	

Premium Colours

Made to order and sent directly from production facility.

	
Light Blue Pantone 7703C	Pink Pantone 4073C

Digital Printing Process

580 GSM PVC

Large format digital printing refers to method of printing from a digital based image directly to the PVC marquee material.

Once the print has dried a hot lacquer is applied to the print surface to seal the print to avoid scratches.

Colours Pantone Matching

All printing is done using CMYK on a large format printer. Pantone colours / PMS can be supplied and they will be converted to a CMYK breakdown for digital printing.

Please state to your graphics Coordinator if you require colour matching to either a Pantone or a physical sample. While we make every effort to match Pantone colour, slight variation can occur.

Please also keep in mind that colours displayed on a device or monitor can differ from the printed product. While every effort is made to match colours between product types, there can be variation between colour from polyester marquee fabrics, to PVC material and banner fabrics.

Printed Marquees

600D PU Coated Polyester

Application

Custom printed marquees & Accessories

Specifications

100% Polyester with PU backing
Yarn count: 600D x 600D
Weight: 245 gsm
Colourfastness to light: 5-6 En standard


Features

1 year warranty
Fire resistant
Waterproof
UV resistant


Wind resistant
Corners reinforced with PVC
Matte finish

Reverse Fabric Colour

Available on printed 600D PU Coated Polyester products.
Refer to artwork layout to show reverse colour, or talk to one of the team.



White
Standard



Black
Upon request.

WE CAN CUSTOM PRINT
ANY COLOUR*

Printing Process Dye Sublimation

Dye sublimation printing involves the use of a digital printer to produce a print on sublimation transfer paper.

The sublimation paper is then placed into a heat press with the marquee fabric and exposed to a temperature of 200 degrees Celsius. The artwork is then transferred from the paper to the marquee fabric.

The marquee fabric has the artwork embedded in the material and the design will not scratch from the surface. The fabric has a matte finish, which photographs well and suits indoor and outdoor use.

Colours Pantone Matching

All printing is done using CMYK on a large format printer. Pantone colours / PMS can be supplied and they will be converted to a CMYK breakdown for digital printing.

Please state to your graphics Coordinator if you require colour matching to either a Pantone or a physical sample. While we make every effort to match Pantone colour, slight variation can occur.

Please also keep in mind that colours displayed on a device or monitor can differ from the printed product. While every effort is made to match colours between product types, there can be variation between colour from polyester marquee fabrics, to PVC material and banner fabrics.

Graphics Supplying your artwork

Thank you for choosing Extreme Marquees!

Use our online tool to supply your artwork description, colours and logos and fonts.

admin@extrememarquees.co.nz

Need help? Call our expert graphic coordinators on 0800 424 313 for free artwork design services.

You can also supply all files via email to your sales person. If you are more experienced designer or marketing agency please find artwork templates in our Resource Center or request templates from sales person.

Artwork Approval Production

Once artwork layout is created and you are happy to approve, please fill out the below form and provide payment for your order.

<https://www.extrememarquees.co.nz/artwork-approval/>

Optional Accessories

Sandbag | Water Weight | Weight Plate | Clip Wheel | Awning

Weight Plate

Secure your marquee on hard surfaces with the 15kg stackable steel weight plates.



Sandbag

Easy-to-use sandbag weights that wrap around the leg of any marquee in our folding range.



Water Weight

10kg water weights (stackable) have been specially designed and manufactured to secure all folding marquees on hard surfaces where pins & tie down straps cannot be used.



Clip Wheel

The patented clip wheeled system makes moving or transporting marquees easy!



Awning

Awning kits are a detachable and portable awning solution to provide additional protection from the elements.



Wall Range

Standard Colours | Premium Colours | Custom Printed

Full Wall Range

Standard & Premium Colours
Custom printed

Fabric
Polyester
PVC

Features
Hooks along top edge (marquee includes eye-lets), Velcro tabs and zips along sides.



Roll-up Door Range

Standard & Premium Colours
Custom printed

Fabric
Polyester
PVC

Features
Two Zip Door with Velcro tabs to secure open. Hooks along top edge (marquee includes eye-lets), Velcro tabs and zips along sides.



Mesh Window Range

Standard & Premium Colours
Custom printed

Fabric
Polyester
PVC

Features
Mesh window with flap includes velco tabs secure open.Hooks along top edge (marquee includes eyelets), Velcro tabs and zips along sides.




PVC Window Range

Standard & Premium Colours
Custom printed

Fabric
Polyester
PVC

Features
Clear PVC Window (no flap).Hooks along top edge (marquee includes eyelets), Velcro tabs and zips along sides.



Half Wall Range

Standard & Premium Colours
Custom printed

Fabric
Polyester
PVC

Features
Wall fabric, half wall bar, support bar, end connectors, Velcro tabs and zips along sides.



Promotional & Display Options

Wave & Flare | Pull-Up Banner | Table Covers

Wave & Flare

Specifications
Custom Banner Fabric

Features
Single side print or
Double sided
(includes silver lining)
Flag Sleeve: Black / White
Fabric Warranty: 6 months



Pull-Up Banner

Specifications
150 GSM PET
(Polyethylene Terephthalate)
Matte finish
Grey backing

Features
Full colour digital print



Stretch Table Cover

Specifications
229g/sqm Stretch Fabric

Features
Full colour digital print
Back panel 'open' or solid panel



Table Cover

Specifications
600D PU Coated Polyester
580GSM 100% Belgian PVC

Features
Full colour digital print
Includes two zips for access on back panel



All printing is done using CMYK on a large format printer. Pantone colours / PMS can be supplied and they will be converted to a CMYK break-down for digital printing. Please state to your graphics Coordinator if you require colour matching to either a Pantone or a physical sample. While we make every effort to match Pantone colour, slight variation can occur. Please keep in mind that colours displayed on a device or monitor can differ from the printed product. While every effort is made to match colours between product types, there can be variation between colour from polyester marquee fabrics, to PVC material and banner fabrics.

Resources

Helpful PDF's & Product Videos

PDF
**Online
Specification Sheet**



<https://www.extreme-marquees.com.au/pdf/Folding/Specification/Classic-Summit-Specifications.pdf>

PDF
**Engineer Certification
3x3m, 3x4.5m & 3x6m**



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-Engineers-Certificate-Summit-Range.pdf>

PDF
**Warranty & Owners
Manual**



<https://www.extreme-marquees.com.au/pdf/Extreme/Extreme-Marquees-Owners-Manual-Warranty.pdf>

PDF
**CS Instruction
Manual**



<https://www.extreme-marquees.com.au/pdf/Folding/Manuals/CS-Instructions.pdf>

PDF
**Artwork
Specifications**



<https://www.extreme-marquees.com.au/pdf/Extreme/Artwork-Specifications.pdf>

PDF
**Wall Specification
Sheet**



<https://www.extreme-marquees.com.au/pdf/Folding/Specification/Wall-Styles-Folding-Marquees.pdf>

Fabric **Polyester**

PDF
Fire Test



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-Fire-Test.pdf>

PDF
**Ultraviolet
Protection Test**



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-UV-Certificate-Polyester.pdf>

PDF
**Water
Resistance Test**



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-Water-Test.pdf>

Fabric **PVC**

PDF
Fire Test



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-Fire-Test-PVC.pdf>

PDF
**Ultraviolet
Protection Test**



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-UV-Certificate-PVC.pdf>

Watch

VIDEO
**CS Summit
Set-up Instructions**



<https://vimeo.com/717365083>

VIDEO
**CS Summit
Frame Features**



<https://vimeo.com/717364812>



AUSTRALIA P 1300 850 832
admin@extreme-marquees.com.au
3 Bailey Court, Brendale,
Queensland, Australia 4500

SHOP ONLINE www.extreme-marquees.com.au

NEW ZEALAND P 0800 424 313
admin@extrememarquees.co.nz
2-37 Glenmore Drive, Warkworth,
Auckland, New Zealand 0910

SHOP ONLINE www.extrememarquees.co.nz

