



Q8^{RANGE} QUASAR

THE PROFESSIONAL RANGE

3m x 3m | 3m x 4.5m | 3m x 6m






50mm Frame
Profile




Centre Pole &
Roof Tensioning



Advanced Geometry
Truss Bars



Mold Cast Aluminum
Connectors



Pull Ring
Height Adjustment




Q8^{RANGE} QUASAR

The Q8 Quasar is Extreme Marquees’ most technologically advanced and innovative instant marquee.

Based on advance geometry, the advanced Q8 Quasar marquee offers the cutting edge in design and functionality. The Q8 Quasar is as stunning as it is strong and the unique profile offers superior strength over many other conventional geometries at a reduced weight.

The four-groove channel provides a new streamline method to attach and slide in keder walls, half wall bars, aluminium partitions and other professional exhibitor marquee accessories. The advanced V-edge truss bars and moulded cast aluminium connectors offer superior strength and unique functionality. The new Q8 Quasar super heavy-duty marquee is the most futuristic, functional all aluminium frame on the world market to date.

Technical Diagrams



Specifications




Main Frame profile
50mm x 45mm x 1.5mm



Size		3m x 3m	3m x 4.5m	3m x 6m
Height		3.29m		
Clearance		2m		
Frame Weight		27kg	35kg	48kg
Roof Weight	POLY	7kg	9kg	12kg
	PVC	11kg	15kg	19kg
Frame Box Dimensions		156 x 32 x 32cm	156 x 45 x 32cm	156 x 59 x 32cm
Main Profile		50mm x 45mm x 1.5mm		
Truss Bars		33mm x 15mm x 1422mm		
Framework		Aluminium 6005/T5 T6063		
Pull Ring System		Lower		
Push Button System		Upper		
Roof Tension		Spring		
Nuts & Bolts		Stainless Steel		
Connectors		Cast Aluminium		
Feet		Zinc Coated Steel 100 x 100mm		
Fabric		Plain 500D PVC Coated Polyester Printed 600D PU Coated Polyester 580GSM PVC UV Printed 900D PU Coated Polyester 350GSM		
Marquee Includes		Tie Down Ropes, Steel Pins & Heavy Duty Wheeled Protective Cover		
Frame Warranty		Frame 10 Years		
Fabric Warranty		Polyester Plain & Printed 1 Year UV Printed 2 Years PVC Plain 5 Years, PVC Printed & Clear 2 Years		

Gallery
Customer photos



Plain Marquee Fabrics

500D PVC Coated Polyester

Application

Plain Marquees & Accessories

Specifications 100% Polyester with PVC backing Yarn count: 500D x 500D Weight: 280 gsm Colourfastness to light: 5-6 En standard	Features 1 year warranty Fire resistant Waterproof UV resistant	Wind resistant Corners reinforced with PVC Matte finish Colour on front and back of fabric
--	--	---

Standard Colours

Warehouse stocked and ready for dispatch. Roof, Full Walls, Half Walls.

				
White Pantone White	Black Pantone Black 6C	Maroon Pantone 7421C	Red Pantone 207C	Green Pantone 7727C
				
Blue Pantone 7686C	Yellow Pantone 123C	Orange Pantone 715C	Grey Pantone 421C	

Premium Colours

Made to order and sent directly from production facility.

				
Cream Pantone Yellow 0131C	Fossil Pantone Warm Grey 10C	Bay Blue Pantone 2955C	Ocean Blue Pantone 2767C	Hunter Green Pantone 3292C
				
Apple Green Pantone 360C	Candy Pink Pantone 219C	Lollipop Purple Pantone 513C	Cola Red Pantone 186C	

Plain & Printed Marquees

580 GSM PVC

Application

Plain Marquees | Custom Printed Marquees

Specifications 100% PVC Weight: 580 gsm Colourfastness to light: 5-6 En standard	Features 2 year warranty printed 5 year warranty plain Fire resistant Waterproof	UV resistant Wind resistant Hot lacquer Seams heat welded Gloss finish
--	---	--

Standard Colours

Warehouse stocked and ready for dispatch.

				
White Pantone White	Black Pantone Black 6C	Maroon Pantone 505C	Red Pantone 7427C	Blue Pantone 7687C
				
Yellow Pantone 7408C	Orange Pantone 1375C	Green Pantone 7727C	Grey Granite Pantone 4276C	

Premium Colours

Made to order and sent directly from production facility.

	
Light Blue Pantone 7703C	Pink Pantone 4073C

Digital Printing Process

580 GSM PVC

Large format digital printing refers to method of printing from a digital based image directly to the PVC marquee material.

Once the print has dried a hot lacquer is applied to the print surface to seal the print to avoid scratches.

Colours Pantone Matching

All printing is done using CMYK on a large format printer. Pantone colours / PMS can be supplied and they will be converted to a CMYK breakdown for digital printing.

Please state to your graphics Coordinator if you require colour matching to either a Pantone or a physical sample. While we make every effort to match Pantone colour, slight variation can occur.

Please also keep in mind that colours displayed on a device or monitor can differ from the printed product. While every effort is made to match colours between product types, there can be variation between colour from polyester marquee fabrics, to PVC material and banner fabrics.

Printed Marquees

600D PU Coated Polyester

Application
Custom printed marquees & Accessories


Specifications
100% Polyester with PU backing
Yarn count: 600D x 600D
Weight: 245 gsm
Colourfastness to light: 5-6 En standard

Features
1 year warranty
Fire resistant
Waterproof
UV resistant

Wind resistant
Corners reinforced with PVC
Matte finish

Reverse Fabric Colour

Available on printed 600D PU Coated Polyester products.
Refer to artwork layout to show reverse colour, or talk to one of the team.



Printing Process Dye Sublimation

Dye sublimation printing involves the use of a digital printer to produce a print on sublimation transfer paper.

The sublimation paper is then placed into a heat press with the marquee fabric and exposed to a temperature of 200 degrees Celsius. The artwork is then transferred from the paper to the marquee fabric.

The marquee fabric has the artwork embedded in the material and the design will not scratch from the surface. The fabric has a matte finish, which photographs well and suits indoor and outdoor use.

Colours Pantone Matching

All printing is done using CMYK on a large format printer. Pantone colours / PMS can be supplied and they will be converted to a CMYK breakdown for digital printing.

Please state to your graphics Coordinator if you require colour matching to either a Pantone or a physical sample. While we make every effort to match Pantone colour, slight variation can occur.

Please also keep in mind that colours displayed on a device or monitor can differ from the printed product. While every effort is made to match colours between product types, there can be variation between colour from polyester marquee fabrics, to PVC material and banner fabrics.

WE CAN CUSTOM PRINT
ANY COLOUR*

Graphics Supplying your artwork

Thank you for choosing Extreme Marquees!
Use our online tool to supply your artwork description, colours and logos and fonts.
admin@extreme-marquees.com.au

Need help? Call our expert graphic coordinators on 1300 850 832 for free artwork design services.
You can also supply all files via email to your sales person. If you are more experienced designer or marketing agency please find artwork templates in our Resource Center or request templates from sales person.

Artwork Approval Production

Once artwork layout is created and you are happy to approve, please fill out the below form and provide payment for your order.
<https://www.extreme-marquees.com.au/artwork-approval/>

Wall & Partitions Display Options

These options are available for 3x3m, 3x4.5m & 3x6m

Perimeter Q8 Full Walls

Perimeter walls attach to the outside of the Q8 frame. Hooks along the top edge of wall attaches to the roof, a kedar wall bar secures the bottom and the wall tracks into the marquee legs on the side.

Full Perimeter Wall Example



Partial Full Wall Example



Perimeter Q8 Half Walls

Perimeter half walls attach to the outside of the Q8 frame. Half walls use kedar wall bars to secure the top and bottom and track into the marquee legs on the sides.

Half Perimeter Wall Example



Partial Half Wall Example



Full Internal Partitions

Partition walls can be configured to make internal walls with the use of the Q8 kedar system and the extra legs. This system is what make the Q8 difference from our other ranges.

Full Partition Wall Example



Full Partition Wall Example



Half Internal Partitions

Half wall partitions use kedar and wall bars to secure the top and bottom tracks into the marquee legs on the sides. This system is what make the Q8 difference from our other ranges.

Half Partition Wall Example




Half Partition Wall Example




Wall Size Configuration Options

■ FIXED LEG □ Q8 INSERT LEG CAN BE ADDED ● PERIMETER WALL CAN BE ADDED ◆ INTERNAL PARTITION WALL CAN BE ADDED


3x3m Q8 Frame



3x4.5m Q8 Frame



3x6m Q8 Frame



Optional Accessories

Sandbag | Water Weight | Weight Plate | Clip Wheel | Awning

Weight Plate

Secure your marquee on hard surfaces with the 15kg stackable steel weight plates.



Sandbag

Easy-to-use sandbag weights that wrap around the leg of any marquee in our folding range.



Water Weight

10kg water weights (stackable) have been specially designed and manufactured to secure all folding marquees on hard surfaces where pins & tie down straps cannot be used.



Clip Wheel

The patented clip wheeled system makes moving or transporting marquees easy!



Awning

Awning kits are a detachable and portable awning solution to provide additional protection from the elements.



Promotional & Display Options

Wave & Flare | Pull-Up Banner | Table Covers

Wave & Flare

Specifications

Custom Banner Fabric

Features

Single side print or

Double sided

(includes silver lining)

Flag Sleeve: Black / White

Fabric Warranty: 6 months



Pull-Up Banner

Specifications

150 GSM PET

(Polyethylene Terephthalate)

Matte finish

Grey backing

Features

Full colour digital print



Stretch Table Cover

Specifications

229g/sqm Stretch Fabric

Features

Full colour digital print

Back panel 'open' or solid panel



Table Cover

Specifications

600D PU Coated Polyester

580GSM 100% Belgian PVC

Features

Full colour digital print

Includes two zips for access on back panel



All printing is done using CMYK on a large format printer. Pantone colours / PMS can be supplied and they will be converted to a CMYK breakdown for digital printing. Please state to your graphics Coordinator if you require colour matching to either a Pantone or a physical sample. While we make every effort to match Pantone colour, slight variation can occur. Please keep in mind that colours displayed on a device or monitor can differ from the printed product. While every effort is made to match colours between product types, there can be variation between colour from polyester marquee fabrics, to PVC material and banner fabrics.

Resources

Helpful PDF's & Product Videos

PDF
**Online
Specification Sheet**



<https://www.extreme-marquees.com.au/pdf/Folding/Specification/Q8-Quasar-Specifications.pdf>

PDF
**Engineer Certification
3x3m, 3x4.5m & 3x6m**



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-Engineers-Certificate-Quasar-Range.pdf>

PDF
**Warranty & Owners
Manual**



<https://www.extreme-marquees.com.au/pdf/Extreme/Extreme-Marquees-Owners-Manual-Warranty.pdf>

PDF
**Instruction
Manual**



<https://www.extreme-marquees.com.au/pdf/Folding/Manuals/Q8-Quasar-Full-Wall-Instructions.pdf>

PDF
**Artwork
Specifications**



<https://www.extreme-marquees.com.au/pdf/Extreme/Artwork-Specifications.pdf>

PDF
**Q8 Wall
Order Form**



<https://www.extreme-marquees.com.au/pdf/Folding/Specification/EM-Q8-Order-form-3x3m.pdf>

<https://www.extreme-marquees.com.au/pdf/Folding/Specification/EM-Q8-Order-form-3x4.5m.pdf>

<https://www.extreme-marquees.com.au/pdf/Folding/Specification/EM-Q8-Order-form-3x6m.pdf>

Fabric **Polyester**

PDF
Fire Test



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-Fire-Test.pdf>

PDF
**Ultraviolet
Protection Test**



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-UV-Certificate-Polyester.pdf>

PDF
**Water
Resistance Test**



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-Water-Test.pdf>

Fabric **PVC**

PDF
Fire Test



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-Fire-Test-PVC.pdf>

PDF
**Ultraviolet
Protection Test**



<https://www.extreme-marquees.com.au/pdf/Folding/Certificates/Extreme-Marquees-UV-Certificate-PVC.pdf>



AUSTRALIA P 1300 850 832
admin@extreme-marquees.com.au
3 Bailey Court, Brendale,
Queensland, Australia 4500

SHOP ONLINE www.extreme-marquees.com.au

NEW ZEALAND P 0800 424 313
admin@extrememarquees.co.nz
2-37 Glenmore Drive, Warkworth,
Auckland, New Zealand 0910

SHOP ONLINE www.extrememarquees.co.nz

